


Sundew 'Drosera rotundifolia' (CarniDr64)

Drosera rotundifolia

€ 8.72

Drosera rotundifolia is one of the most widespread sundew species. It has a circumboreal distribution, being found in all of northern Europe, much of Siberia and large parts of North America. Because Drosera rotundifolia appears in the northern hemisphere, it is dormant in wintertime. This carnivorous plant is most suitable for placement on a windowsill or outside.?





Product info

Drosera rotundifolia or 'round-leaved sundew' is a carnivorous plant that occurs primarily in the Northern hemisphere. This carnivorous plant is most suitable for a windowsill or even outside.? As insects get stuck on its trapping leaves, the tentacles, which are covered in dewdrops, fold around the insect. Since Drosera rotundifolia primarily grows in colder climates, it is dormant in the wintertime.

Height: 3 cm	🛨 Ī	Width: 4 cm	
Adult height: 5-10 cm	♣ Ī	Adult width: 10 cm	
Flower period: Jan-July	*	Product: plant	÷
Plant type: carnivorous		Growth habit: normal	\$?
Properties: medicinal	*	Growth rate: normal	
Araflora info: botanical	BOLETA	Natural habitat: Northern hemisphere	S Trans
Altitude range: 0-2000 m	₫		

Plantcare

after 2 years

Drosera rotundifolia grows best in an airy soil mixture of peat and perlite.? During the summer (growing season) it's best to put a dish with a layer of water underneath the pot.

Care: normal	\$ **	Place: indoor	圕
Place: artificial lighting	•	Light: full light	
Artificial light height: 0-20cm		Fertilize: none	NPK
Maintenance: prune dead stalks	*	Watering: high	
Watering tips: standing in water		Watering tips: no-water spraying	X
Air humidity at day: 60-100%		Air humidity at night: 80-100%	E CONTRACTOR OF THE CONTRACTOR
Air movement: normal	% *	Temperature 15°C	L
Day temperature 15-25°C	∭ MAX	Night temperature -10-20°C	MAX
Temperature max: 30°C	I T	Soil type: peat	
Repotting: after 2 years			